



Mobile-Alerts MA10000 Internet Gateway

Product Images



Short Description

The Internet Gateway collects the data from your Mobile-Alerts sensors, which can be accessed via the Internet from your smartphone or tablet (iOS or Android) with the Mobile-Alerts app. The gateway simply plugs into your home's Internet router.

Description

The Internet Gateway collects the data from your Mobile-Alerts sensors, which can be accessed via the Internet from your smartphone or tablet (iOS or Android) with the Mobile-Alerts app. The Gateway simply plugs into your home's Internet router.

Additional Information

| | |
|---------------|---|
| Brand | Technoline |
| Explanation | Data is sent directly from Mobile Alerts sensors to the Internet Gateway. Data is stored on the Gateway for up to 90 days. View your data and receive alerts on iOS and Android devices. |
| Contents | MA10000 Internet Gateway Power supply LAN cable |
| Power | Battery only |
| Compatibility | Apple compatibility: iOS 7.0 or later. Compatible with iPhone, iPad, and iPod touch. Android compatibility: version 3.0 or later |
| Sensors | The Internet Gateway can support up to 50 Mobile Alerts sensors. The optional sensor range includes temperature, humidity, rain, wind, water, contact, air quality and sound sensors. |
| Dimensions | MA10000 Gateway: 103x27x40 mm (L x W x D) |
| Installation | 1. Connect the Gateway to the mains power supply. 2. Connect the Gateway and router with the supplied cable. 3. After about 10 seconds the gateway is ready for use, the LED lights up permanently. |