



DISCONTINUED: Davis Vantage Connect GPRS Transmitter for Wireless Weather Stations (3G)

Product Images



Short Description

Remote weather data, versatile integration. Cellular-based (3G), solar-powered unit sends remote weather station data to the Internet.

Description

Remote weather data, versatile integration. Cellular-based, solar-powered unit sends remote weather station data to the Internet.

Davis Vantage Connect sends comprehensive weather data to the web from remote locations, such as farms, vineyards, orchards, and other areas that lack power or a person to monitor the weather.

What is Vantage Connect?

- A weather station receiver and cellular modem.
- Solar powered with battery backup; does not require any external power sources.
- Self-contained in a weather-resistant shelter.

How does Vantage Connect work?

- Uploads weather data through a cellular connection to WeatherLink.com in 5, 15, or 60-minute intervals, depending on the service plan you choose.
- Alerts you to alarm conditions in the field the moment they occur.
- Pairs with Davis' Vantage Pro2 or Vantage Vue integrated sensor suite.

Additional Information

Country of Manufacture	United States												
Brand	Davis Instruments												
Promotion	This product has been superseded by the Davis EnviroMonitor Cellular Remote Field Monitoring System Configurator 6803												
Explanation	<p>Compatibility & System Requirements IMPORTANT: There are different versions of Vantage Connect that operate in specific countries. Please be sure to choose the product and service plan that is right for your country. The wireless Vantage Connect integrates with:</p> <p>1. Any existing Vantage Pro2 or Vantage Vue weather station or Weather Envoy</p> <p>2. Up to eight wireless Davis Weather Stations, including:</p> <ul style="list-style-type: none">- 1 Vantage Pro2 or Vantage Vue ISS- 1 Wireless Leaf & Soil Moisture/Temperature Station- 2 Wireless Temperature/Humidity Stations- 3 Wireless Temperature Stations- 1 Anemometer/Sensor Transmitter Kit <p>3. Requires at least one Davis Integrated Sensor Suite (ISS) or special purpose station.</p> <p>4. A console or Envoy is not required.</p> <p>5. WeatherLink software requires a computer running Windows® XP or above.</p> <p>6. iPhone®, Android™ and tablet compatible.</p> <p>7. Not compatible with original Vantage Pro, Envoy8X, or Mac Software.</p> <p>This product requires a service plan and a one-time activation fee of £35 ex VAT.</p> <p>Plans Available for UK</p> <table><tr><th>PLAN</th><th>5 minutes</th><th>15 minutes</th><th>60 minutes</th></tr><tr><td>Product Number</td><td>6632A</td><td>6634A</td><td>6636A</td></tr><tr><td>Update interval</td><td>5-minute</td><td>15-minute</td><td>60-minute</td></tr></table>	PLAN	5 minutes	15 minutes	60 minutes	Product Number	6632A	6634A	6636A	Update interval	5-minute	15-minute	60-minute
PLAN	5 minutes	15 minutes	60 minutes										
Product Number	6632A	6634A	6636A										
Update interval	5-minute	15-minute	60-minute										
Contents	<ul style="list-style-type: none">• Vantage Connect receiver and cellular modem• Heavy-duty battery backup• WeatherLink software• Your own WeatherLink Network account on WeatherLink.com with purchase of a Vantage Connect service plan• Hardware to mount to a vertical pole <p>Accessories</p> <p>In areas with prolonged periods of low light and accessible power, add the 6710 Optional AC Charger Kit. Replace Vantage Connect's internal temperature probe with an external temperature probe (6475 or 6477).</p>												

Ideal For

Professional, Agronomy

Additional Options

Wireless Integrated Sensor Suite (ISS) & Weather Station Options	Vantage Vue ISS (DI-6357OV)
	Vantage Pro 2 ISS (DI-6322OV)
	Vantage Pro 2 Plus ISS (DI-6327OV) (incl. UV & Solar Radiation)
	Vantage Pro 2 FARS ISS (DI-6323OV) (incl. 24-Hr Fan-Aspirated Radiation Shield)
	Vantage Pro 2 Plus FARS ISS (DI-6328OV) (incl. UV & Solar Radiation, 24-Hr Fan-Aspirated Radiation Shield)
	Vantage Pro2 Weather Station 6152UK
	Vantage Pro2 Plus Weather Station 6162UK (incl. UV & Solar Radiation)
	Vantage Pro2 Weather Station 6153UK (incl. 24-Hr Fan-Aspirated Radiation Shield)
	Vantage Pro2 Plus Weather Station 6163UK (incl. UV & Solar Radiation, 24-Hr Fan-Aspirated Radiation Shield)
Select Soil / Leaf Options	Soil / Leaf Station - Sensors Included (DI-6345CSOV)
	Soil / Leaf Station - No Sensors Included (DI-6345OV)
	Watermark Soil Moisture Sensor (DI-6440)
	Leaf Wetness Sensor (DI-6420)
	Soil/Water/Air Temperature Sensor (DI-6470)
Mounting Options	Universal Mounting Pole Kit (WS-7717) (Limited Offer)!
	Universal Crank-shaped Mounting Pole Kit (WS-7715-CRANK)
	Davis Mounting Pole Kit (DI-7717)
	Davis EZ-Mount Tripod (DI-7716-00)
Select a Data Plan	Data Plan - 60 min uploads (6636A)
	Data Plan - 15 min uploads (6634A)
	Data Plan - 5 min uploads (6632A)
Activation fee	Data Plan Activation Fee (one off)