

Call our friendly team on 01243 558280

Weather Shop Ford Lane Business Park Ford, West Sussex BN18 0UZ www.weathershop.co.uk



ACCUR8 YD8230A-4UK-BL Official UK Model with MSF Radio-controlled Time, Barometric Pressure Graph, Indoor/Outdoor Temp & **Humidity, Sunrise & Sunset**

Product Images





Short Description

The ACCUR8 YD8230A-4UK-BL is a colour wireless weather forecast station and barometer, also featuring radio-controlled clock, sunrise & sunset times, and moon phase. Plus indoor and outdoor temperature & humidity (via the included remote sensor). The time is automatically kept accurate as it receives the MSF UK radio-controlled time signal.

Description





More than Weather Forecasting

The ACCUR8 weather station delivers more than just weather forecasting, temperature and humidity readings. It offers fascinating environmental insights right into your local area. With this device, you can effortlessly track sundown and sunrise timings, helping you connect more intimately with the natural rhythm of the day. Moreover, it also keeps you attuned to cosmic shifts as it displays the current phase of the moon

and for those who live near the sea or have an interest it also displays the current state of the tides.

View all at Once


The colour screen display's all the current readings simultaneous.

This inclusive display removes the need to toggle between screens or readings, providing all live data at a single glance.

The barometric graph dispalys a historical record of the previous 12 hours helping you understand how the weather is changing in your area.







Weather Forecasts

Not to overlook, the ACCUR8 weather station can also help predict the local weather by utilising the barometric pressure. This intelligent feature provides you with a six-icon weather forecasting system, giving a visual depiction of the weather conditions expected in your area.

These icons range from showing 'sunny' for clear sky days all the way to 'cloudy' for overcast conditions. It doesn't stop there though; this weather station is smart enough to indicate 'rainy' or 'stormy' conditions when precipitation is anticipated and even 'snowy' when chillier temperatures are detected.

Providing real-time information on future insights relevant to your localised area, right from the comfort of your home.

Comfort Indicator

The station uses a varied facial expression to indicate the relative indoor comfort based on humidity. Proper humidity control can provide a multitude of benefits. For one, it can help prevent the condensation that leads to mould and mildew growth, ideal for those with allergies or asthma.

Aside from health implications, the right humidity level can prevent skin from becoming overly dry. Furthermore, it aids in thermal comfort, as higher humidity can make the air feel warmer, potentially helping to conserve energy by requiring less heating during winter. Thus, staying aware of your home's humidity levels can greatly contribute to your overall well-being.





Accurate Time & Alarm

The station also packs in an alarm clock with a convenient backlight. For great time keeping this, station incorporates the MSF time signal - recognised as one of the most accurate timekeeping technologies in the world. This means that your weather station will always reflect the precise time, keeping you consistently updated down to the second.



You're in safe hands

Having been in the business of selling weather equipment for more than two decades, we have dispatched over 18,000 orders just in the past twelve months.

As the owners of the ACCUR8 brand, you can rest easy knowing that you are supported by a UK-based company that has a great depth of knowledge and consistent customer support.

As a family-owned enterprise, we take pride in being the UK's leading independent weather specialist.



2 Year warranty as standard

With our own brand ACCUR8, we offer a hassle-free 2-year warranty with no need for filling out paperwork or submitting online registrations. You automatically receive a 2-year warranty upon purchase.

In the event that issues arise after the warranty period ends, we understand that you may require assistance or replacement parts. We have you covered – we offer all parts, including the console, at special discounted prices for customers who have purchased from us.





Retail Packaged

In contrast to many online brands, our ACCUR8 products are presented in attractive retail-style packaging. Say goodbye to plain white or brown boxes when gifting this item to a loved one. Additionally, it comes with a 3-Pin UK power supply, eliminating the need for uncommon EU adapter plugs often found in online purchases nowadays.

Key Features at a Glance

- Radio-controlled time from the MSF signal in the UK (always keeps accurate time and automatically adjusts for British Summer Time)
- Weather forecast indicated by six icons (Sunny, Partly Sunny, Cloudy, Rainy, Stormy, Snowy)
- Barometric pressure with 12hr history graph in hPa & inHg
- Indoor and outdoor temperatures, with trend indicators
- Indoor and outdoor humidity
- Max/Min recording of temperature and humidity (indoor & outdoor)
- Sunrise & sunset times
- Moon phase
- Alarm with snooze function
- Day and date
- Manual setting option for clock
- 12/24 hr time
- Tide state
- Low battery indicators for outdoor sensor and station
- Mains powered, with battery back-up (UK mains power adaptor included)
 Table standing.



0% over 3 months



0% over 3 months

Flexible Payments

We've partnered with Klarna to offer you the convenience of spreading your payments over three months, and what's more, it's interest-free. Simply select Klarna as your payment option in the checkout.

Next Day delivery

We ship orders from Monday to Friday, and if you require expedited delivery, you can choose the next-day delivery option when placing your order before 2:30pm today.





Additional Information

Tax YD8230A-4UK-BL Console 1 x Outdoor Temperature & Humidity Sensor UK Power Adapter (for EU orders, the EU version will be supplied), User Manual Indoor Temperature Operating temperature range 0°C to 50°C (32°F to 122°F) Accuracy ±1 degrees Celsius 0°C to 50°C (32°F to 122°F) Indoor Humidity Operating humidity range 1% RH to 99%RH Accuracy ±-5% RH (@25°C, 30%RH to 809%RH) Accuracy ±-5% RH (@25°C, 20%RH to 299%RH and 80%RH to 95%RH) Accuracy ±-12% RH (@25°C, 10%RH to 19%RH and 96%RH to 99%RH (25°C, 10%RH to 19%RH and 96%RH to 99%RH) Accuracy ±-12% RH (@25°C, 10%RH to 19%RH and 96%RH to 99%RH to 99%RH) Accuracy ± 1 Degrees Celsius from 0°C to 50°C (32°F to 140°F) Accuracy ± 1 Degrees Celsius from 0°C to 50°C (32°F to 122°F) Accuracy ± 1 Degrees Celsius from -30°C to 0°C (-22°F to 32°F) and 50°C to 60°C (122°F to 140°F) Outdoor Humidity Operating humidity range 1% RH to 99%RH Accuracy ±-1-2% RH (@25°C, 20%RH to 90%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 80%RH to 95%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 80%RH to 95%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 96%RH to 99%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 96%RH to 99%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 80%RH to 99%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 19%RH and 96%RH to 99%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 80%RH to 99%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 80%RH to 99%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 80%RH to 99%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 80%RH to 99%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 80%RH to 99%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 80%RH to 99%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 80%RH to 99%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 80%RH to 99%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 30%RH and 80%RH to 99%RH) Accuracy ±-1-2% RH (@25°C, 20%RH to 20%RH) Accuracy ±	Brand	ACCUR8
Operating temperature range 0°C to 50°C (32°F to 122°F)	Contents	1 x Outdoor Temperature & Humidity Sensor UK Power Adapter (for EU orders, the EU version will be supplied).
Finish Black Dimensions Display Console: 152 x 112 x 41mm Display Console: mains power, with optional battery backup (3 x AAA batteries (not included)). Remote Temperature Sensor: 2 x AAA batteries (not included) Sensor maximum transmission range: 30 metres Sensor water-resistant to IP44 rating (protected against	Explanation	Operating temperature range 0°C to 50°C (32°F to 122°F) Accuracy ± 1 degrees Celsius 0°C to 50°C (32°F to 122°F) Indoor Humidity Operating humidity range 1% RH to 99%RH Accuracy +/- 5% RH (@25°C, 30%RH to 80%RH) Accuracy +/- 8% RH (@25°C, 20%RH to 29%RH and 80%RH to 95%RH) Accuracy +/-12% RH (@25°C, 1%RH to 19%RH and 96%RH to 99%RH) Outdoor Temperature Operating temperature range -30°C to 60°C (-22°F to 140°F) Accuracy ± 1 Degrees Celsius from 0°C to 50°C (32°F to 122°F) Accuracy ± 2 Degrees Celsius from -30°C to 0°C (-22°F to 32°F) and 50°C to 60°C (122°F to 140°F) Outdoor Humidity Operating humidity range 1% RH to 99%RH Accuracy +/- 5% RH (@25°C, 20%RH to 90%RH) Accuracy +/- 8% RH (@25°C, 20%RH to 30%RH and 80%RH to 95%RH) Accuracy +/-12% RH (@25°C, 1%RH to 19%RH and
Display Console: 152 x 112 x 41mm Display Console: mains power, with optional battery backup (3 x AAA batteries (not included)). Remote Temperature Sensor: 2 x AAA batteries (not included) Sensors Sensors Sensors Sensors Display Console: 152 x 112 x 41mm Display Console: 152 x 112 x 41mm Sensors Sensor water-resistant to IP44 rating (protected against	Ideal For	Amateur, Interested, Gardeners
Power Display Console: mains power, with optional battery backup (3 x AAA batteries (not included)). Remote Temperature Sensor: 2 x AAA batteries (not included) Sensor maximum transmission range: 30 metres Sensor water-resistant to IP44 rating (protected against	Finish	Black
Power backup (3 x AAA batteries (not included)). Remote Temperature Sensor: 2 x AAA batteries (not included) Sensor maximum transmission range: 30 metres Sensor water-resistant to IP44 rating (protected against	Dimensions	Display Console: 152 x 112 x 41mm
Sensors Sensor water-resistant to IP44 rating (protected against	Power	backup (3 x AAA batteries (not included)). Remote Temperature Sensor: 2 x AAA batteries (not
rain and splashes) RF frequency: 433.92 MHz	Sensors	Sensor water-resistant to IP44 rating (protected against rain and splashes)

Additional Options

Batteries 5 x AAA Alkaline 1.5V Batteries